



JINCOOL®

HFC-134a



Tetrafluoroethane  
CH<sub>2</sub>FCF<sub>3</sub>

### Application

Refrigerant, substitute for CFC-12.

### Packing

250g 300g 13.6kg 100kg 400kg 1000kg ISOTANK

### Product Description

#### Physical Properties

Appearance: Colorless liquefied gas, special smell.

Molecular Weight	102.03	Boiling Point, °C	-26.1
Critical Temperature, °C	101.1	Saturated Vapour Pressure(25°C), Kpa	665
Melting Point, °C	-101.1	Critical Pressure, Mpa	4.067
Critical Density, g/cm <sup>3</sup>	0.512	Latent Heat of Vaporation at Boiling Point, KJ/Kg	215.0
Solubility in Water(25°C), W%	0.15	Specific Heat(Liquid 25°C), KJ/Kg · °C	1.51
Relative Density ( Water = 1 )	1.21	PH Value	Neutral
Relative Vapor Density ( Air=1 )	3.5	Self-ignition Temperature, °C	750

#### Environment Data

ODP	0
GWP	1300
Atmospheric lifetime (years)	13.8

#### Specifications

Grade	Excellent	Qualified
Purity, %	99.9	99.5
Moisture, % ≤	0.001	0.005
Impurity Limatation, %	Chloride Passed	Chloride Passed
Acidity, %	0.0001	0.0001
Nonvolatile Residues, % ≤	0.01	0.01
Noncondensable Gas, % ≤	1.5	1.5



#### SINOCHM LANTIAN CO.,LTD.

SINOCHM MODERN ENVIRONMENTAL PROTECTION CHEMICALS(XI'AN) CO.,LTD.  
Add: Xi'an Economic and Technological Development Zone Industrial Park  
Jingyang Jinghe Road, Shanxi 710201, P.R.C.  
Tel: +86-29-86033989 +86-29-86031134 +86-29-86033990

SINOCHM TAICANG CHEMICAL INDUSTRY PARK BUSINESS CENTER  
Add: NO.365, Binjiang Road, Shihua Industrial Park Taicang  
Port, Jiangsu 215433, P.R.C.  
Tel: +86-512-53713136 +86-512-53713173